

Subject: Ward Health Data Report

Report to: Housing & Neighbourhoods Committee – 17 October 2019

Report by: James Wedon, Senior Performance Officer

RECOMMENDATION

Members are asked to note the enclosed Ward Health Data Report.

1. INTRODUCTION

This report has been written at the request of the Housing & Neighbourhoods Committee providing current statistical information regarding health data collected on the residents of the borough. The data contained within the report has been broken down into the 17 wards of the borough.

2. OVERVIEW

2.1 The data within the report has been obtained from Public Health England and is the latest currently available. It contains a wide range of measures including:

- specific health conditions – such as cancer, mental health, cardiovascular disease
- lifestyle risk factors – such as smoking, alcohol and obesity
- hospital admission information on different population groups including adults, older people, and children

2.2 The Appendix of the report provides data broken down to ward and borough level along with the worst and best performance for England and period the data has been collected over.

2.3 Additionally, each measure has been given a status which compares the ward data to the average for England, the status can be either green, amber or red:



- Green – above the national average for England
- Amber – in line with the national average for England
- Red – below the national average for England
- Purple – benchmarking data not available

2.4 Wider information is available to view on the Public Health England website via the following links:

For information displayed at borough council level click:

<https://fingertips.phe.org.uk/profile/local-health/data#page/0/qid/1938133183/pat/6/par/E12000006/ati/101/are/E07000145>

More detailed information for each Ward including comparisons to the average for England are available here:

http://www.localhealth.org.uk/GC_preport.php?lang=en&codgeo=E05005784&nivgeo=ward_2018&id_rep=r03

Demographic, Economic, Educational attainment, Housing & Environmental and Crime information is available by ward here:

<https://www.norfolkinsight.org.uk/overview/?geographyId=d5961299464a491c9e82c93620bef2fc&featureId=E05005784>

3. HEADLINE ANALYSIS

3.1 A brief analysis of the data has been undertaken with the following overall messages:

- Central and Northgate ward along with Nelson ward have the greatest number of adults and children with health related issues.
- Bradwell North along with West Flegg wards are the best performing in terms of adult health although Bradwell has a higher occurrence of breast cancer and West Flegg a high occurrence of colorectal cancer than all other wards.
- The highest percentage of obese children can be found in Central & Northgate and Southtown & Cobholm wards.
- The strong prevalence of life limiting illness in the borough – 22.5% of people in the borough have a life limiting illness, compared to the national average of 17.6% (and as it is as high as 25.6% in wards like Magdalen)

4. FINANCE

None.

5. LEGAL

None.

6. RISK

















None.







7. RECOMMENDATION

Members are asked to note the enclosed Ward Health Data Report.

Area for consideration	Comment
Monitoring Officer Consultation:	N/A
Section 151 Officer Consultation:	N/A
Existing Council Policies:	No
Financial Implications:	No
Legal Implications (including human rights):	No
Risk Implications:	No
Equality Issues/EQIA assessment:	Yes
Crime & Disorder:	No
Every Child Matters:	Yes

















Bradwell North







Indicator	Period	Bradwell North		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,800	72.3	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	87	79.5	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	71	104.2	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	55	96.4	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	50	47.9	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	263	107.9	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	49	144.3	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	25	86.0	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	32	98.2	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	47	133.5	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	32	56.6	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	46	91.7	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	154	70.0	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	646	80.2	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,245	19.3%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,279	19.6%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	799	12.2%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Bradwell North		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	24	12.1%*	12.4%	9.5%	19.7%	.. 	2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	51	25.8%*	27.2%	22.4%	37.3%	.. 	7.0%
Obese children Year 6, three year average	2015/16 - 17/18	24	14.7%*	21.8%	20.0%	34.6%	.. 	5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	47	28.8%*	35.7%	34.2%	51.9%	.. 	12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	10	13.8%*	7.9%*	5.4%*	20.1%	.. 	0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	12	16.8%*	11.4%*	8.2%*	19.4%	.. 	0.0%


















* Value is modelled or estimated







Bradwell South & Hopton

Indicator	Period	Bradwell South and Hopton		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	3,351	82.0	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	117	101.8	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	84	115.9	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	69	114.9	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	118	108.5	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	237	93.7	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	35	95.3	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	33	109.1	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	34	100.8	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	34	96.9	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	33	56.5	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	52	95.0	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	235	102.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	756	90.3	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,494	22.3%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,348	20.1%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	862	12.9%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Bradwell South and Hopton		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	21	9.6%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	52	23.7%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	42	21.6%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	65	33.5%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	8	13.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	9	16.0%*	11.4%*	8.2%*	19.4%		0.0%


















Caister North







Indicator	Period	Caister North		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,408	82.9	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	89	103.5	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	51	92.7	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	53	116.6	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	82	97.7	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	205	105.6	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	26	97.6	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	22	94.7	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	29	109.9	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	28	97.1	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	35	96.5	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	42	105.6	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	123	76.7	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	548	90.1	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,110	24.4%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	944	20.9%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	625	13.8%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Caister North		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	12	10.3%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	27	22.7%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	19	20.0%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	33	34.4%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	3	7.9%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	4	11.5%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated

















Caister South







Indicator	Period	Caister South		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,496	82.9	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	93	103.5	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	53	92.7	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	54	116.6	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	85	97.7	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	210	105.6	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	26	97.6	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	23	94.7	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	30	109.9	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	28	97.1	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	36	96.5	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	48	105.6	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	127	76.7	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	568	90.1	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,192	26.3%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	946	20.9%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	626	13.8%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Caister South		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-		-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-		-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-		-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-		-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-		-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-		-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-		-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-		-
Obese children Reception Year, three year average	2015/16 - 17/18	13	10.3%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	28	22.7%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	20	20.0%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	34	34.4%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	5	8.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	7	11.7%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated

















Central & Northgate

Indicator	Period	Central and Northgate		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	4,721	105.4	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	131	123.7	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	85	131.2	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	77	138.7	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	149	156.4	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	265	113.7	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	36	107.2	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	30	108.7	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	41	139.7	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	33	103.6	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	115	137.1	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	62	142.2	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	386	150.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	1,213	142.1	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,943	23.4%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,551	18.7%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	1,016	12.2%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Central and Northgate		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	59	19.2%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	109	35.3%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	75	26.6%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	115	40.9%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	6	6.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	9	9.8%*	11.4%*	8.2%*	19.4%		0.0%


















* Value is modelled or estimated







Claydon

Indicator	Period	Claydon		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	4,101	99.7	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	100	100.8	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	51	84.8	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	69	132.5	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	147	161.7	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	221	100.1	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	31	96.1	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	20	78.4	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	32	111.5	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	24	80.4	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	77	103.2	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	47	105.1	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	258	110.6	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	876	111.0	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,851	24.1%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,381	17.9%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	863	11.2%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Claydon		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	45	14.4%*	12.4%	9.5%	19.7%	...	2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	94	30.0%*	27.2%	22.4%	37.3%	...	7.0%
Obese children Year 6, three year average	2015/16 - 17/18	57	23.3%*	21.8%	20.0%	34.6%	...	5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	87	35.7%*	35.7%	34.2%	51.9%	...	12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	6	6.3%*	7.9%*	5.4%*	20.1%	...	0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	9	9.9%*	11.4%*	8.2%*	19.4%	...	0.0%


















* Value is modelled or estimated







Indicator	Period	East Flegg		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,510	82.8	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	102	109.0	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	67	117.3	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	66	135.7	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	68	76.4	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	189	90.9	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	22	77.6	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	24	96.7	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	30	109.0	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	30	98.2	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	20	51.3	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	45	102.3	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	159	89.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	604	89.1	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,299	26.8%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,026	20.9%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	633	12.9%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	East Flegg		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	9	9.3%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	21	22.3%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	20	17.6%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	36	32.4%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	3	7.4%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	5	11.5%*	11.4%*	8.2%*	19.4%		0.0

* Value is modelled or estimated


















Fleggburgh







Indicator	Period	Fleggburgh		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	1,024	70.3	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	32	75.6	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	23	91.2	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	21	93.3	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	28	70.7	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	101	107.3	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	16	121.9	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	16	146.6	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	10	84.0	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	20	137.3	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	9	44.1	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	12	74.6	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	63	72.6	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	242	75.8	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	429	17.7%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	483	19.6%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	295	12.0%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Fleggburgh		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	9	10.9%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	19	23.5%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	10	17.0%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	18	30.4%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	4	11.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	5	14.3%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated


















Gorleston







Indicator	Period	Gorleston		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,520	83.4	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	72	92.2	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	46	92.3	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	46	112.3	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	61	83.5	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	181	104.5	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	29	114.9	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	16	77.0	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	19	86.1	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	31	129.1	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	53	105.4	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	50	111.5	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	144	85.1	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	530	89.2	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,149	20.7%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	965	17.6%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	606	11.0%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Gorleston		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	13	9.2%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	41	28.6%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	29	19.7%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	43	29.3%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	4	7.6%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	6	10.7%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated


















Lothian

Indicator	Period	Lothian		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,443	80.1	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	82	91.4	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	51	97.6	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	49	105.1	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	97	116.1	114.3	100.0	482.5		11.8
Incidence of all cancers, standardised incidence ratio	2012 - 16	242	121.6	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	36	128.4	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	28	120.8	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	31	119.8	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	40	130.7	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	14	30.9	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	37	105.0	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	135	71.6	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	604	87.6	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,081	19.7%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,102	20.4%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	709	13.1%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Lothingland		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-		-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-		-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-		-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-		-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-		-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-		-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-		-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-		-
Obese children Reception Year, three year average	2015/16 - 17/18	12	7.3%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	31	18.9%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	38	21.1%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	70	38.9%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	3	9.0%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	5	12.7%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated

















Magdalen

Indicator	Period	Magdalen		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	4,210	95.2	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	122	108.9	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	79	105.1	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	83	140.0	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	158	152.6	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	259	105.3	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	37	106.0	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	34	113.7	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	42	128.6	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	45	135.9	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	86	127.1	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	79	125.0	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	202	88.7	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	841	104.6	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,855	25.6%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,346	18.4%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	858	11.7%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Magdalen		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-		-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-		-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-		-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-		-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-		-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-		-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-		-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-		-
Obese children Reception Year, three year average	2015/16 - 17/18	26	9.4%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	57	20.5%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	51	21.8%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	84	35.9%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	6	6.1%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	10	9.8%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated


















Nelson







Indicator	Period	Nelson		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	5,278	122.1	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	132	147.3	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	57	111.4	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	74	158.5	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	176	225.6	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	251	126.6	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	40	134.1	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	20	88.8	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	57	237.6	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	26	96.9	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	145	153.0	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	39	117.1	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	419	164.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	1,217	152.5	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,949	22.5%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,474	16.7%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	914	10.3%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Nelson		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	59	15.8%*	12.4%	9.5%	19.7%	...	2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	117	31.4%*	27.2%	22.4%	37.3%	...	7.0%
Obese children Year 6, three year average	2015/16 - 17/18	79	21.8%*	21.8%	20.0%	34.6%	...	5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	134	37.0%*	35.7%	34.2%	51.9%	...	12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	7	6.4%*	7.9%*	5.4%*	20.1%	...	0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	12	10.3%*	11.4%*	8.2%*	19.4%	...	0.0%

* Value is modelled or estimated


















Ormesby







Indicator	Period	Ormesby		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,201	82.8	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	89	109.0	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	59	117.3	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	58	135.7	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	60	76.4	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	165	90.9	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	20	77.6	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	21	96.7	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	27	109.0	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	27	98.2	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	18	51.3	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	35	102.3	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	139	89.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	530	89.1	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	975	22.8%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	896	20.9%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	553	12.9%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Ormesby		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-		-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-		-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-		-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-		-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-		-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-		-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-		-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-		-
Obese children Reception Year, three year average	2015/16 - 17/18	11	9.3%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	27	22.3%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	16	17.6%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	30	32.4%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	5	10.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	6	13.3%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated


















Southtown & Cobholm







Indicator	Period	Southtown and Cobholm		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,634	97.1	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	64	113.6	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	31	98.2	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	40	138.0	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	68	136.5	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	109	86.5	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	12	62.2	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	14	100.5	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	16	103.0	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	9	50.0	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	59	100.3	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	15	91.2	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	160	100.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	527	104.4	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,011	17.9%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	896	15.7%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	565	9.9%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Southtown and Cobholm		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-		-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-		-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-		-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-		-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-		-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-		-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-		-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-		-
Obese children Reception Year, three year average	2015/16 - 17/18	38	15.0%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	89	34.7%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	64	28.7%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	94	42.6%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	4	6.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	7	9.7%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated


















St Andrews







Indicator	Period	St Andrews		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,563	88.9	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	70	94.2	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	41	89.3	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	46	118.3	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	75	109.4	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	169	103.9	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	26	110.9	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	15	76.2	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	20	94.5	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	26	115.8	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	51	104.9	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	32	110.0	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	152	94.1	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	545	96.6	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	972	18.9%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	914	17.9%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	573	11.2%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	St Andrews		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-		-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-		-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-		-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-		-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-		-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-		-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-		-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-		-
Obese children Reception Year, three year average	2015/16 - 17/18	19	11.3%*	12.4%	9.5%	19.7%	.. 	2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	47	28.7%*	27.2%	22.4%	37.3%	.. 	7.0%
Obese children Year 6, three year average	2015/16 - 17/18	36	20.0%*	21.8%	20.0%	34.6%	.. 	5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	54	30.1%*	35.7%	34.2%	51.9%	.. 	12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	4	6.2%*	7.9%*	5.4%*	20.1%	.. 	0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	7	9.8%*	11.4%*	8.2%*	19.4%	.. 	0.0%

* Value is modelled or estimated


















West Flegg







Indicator	Period	West Flegg		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,109	70.3	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	66	75.6	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	48	91.2	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	42	93.3	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	58	70.7	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	209	107.3	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	33	121.9	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	34	146.6	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	22	84.0	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	40	137.3	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	20	44.1	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	29	74.6	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	130	72.6	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	498	75.8	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,101	21.5%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	1,013	19.6%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	620	12.0%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	West Flegg		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	15	10.9%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	33	23.5%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	23	17.0%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	41	30.4%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	5	7.7%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	7	11.8%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated

Yarmouth North

Indicator	Period	Yarmouth North		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst	Status	Best
Emergency hospital admissions for all causes, all ages, standardised admission ratio	2013/14 - 17/18	2,585	96.0	89.7	100.0	210.6		28.2
Emergency hospital admissions for coronary heart disease, standardised admission ratio	2013/14 - 17/18	70	97.0	102.4	100.0	351.0		23.5
Emergency hospital admissions for stroke, standardised admission ratio	2013/14 - 17/18	56	122.5	104.2	100.0	211.6		29.1
Emergency hospital admissions for Myocardial Infarction (heart attack), standardised admission ratio	2013/14 - 17/18	42	111.2	121.9	100.0	360.7		20.2
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD), standardised admission ratio	2013/14 - 17/18	102	150.6	114.3	100.0	482.5		11.8
Incidences of all cancers, standardised incidence ratio	2012 - 16	176	110.5	105.0	100.0	138.9		69.6
Incidence of breast cancer, standardised incidence ratio	2012 - 16	31	132.5	107.8	100.0	186.9		42.1
Incidence of colorectal cancer, standardised incidence ratio	2012 - 16	16	85.5	100.4	100.0	187.4		34.7
Incidence of lung cancer, standardised incidence ratio	2012 - 16	26	121.4	115.5	100.0	306.9		23.7
Incidence of prostate cancer, standardised incidence ratio	2012 - 16	30	137.2	110.7	100.0	211.6		36.2
Hospital stays for self harm, standardised admission ratio	2013/14 - 17/18	44	101.0	94.5	100.0	574.3		12.7
Emergency hospital admissions for hip fracture in persons 65 years and over, standardised admission ratio	2013/14 - 17/18	35	89.0	104.8	100.0	243.0		35.1
Hospital stays for alcohol-related harm (Narrow definition), standardised admission ratio	2013/14 - 17/18	162	107.2	99.0	100.0	318.7		36.6
Hospital stays for alcohol-related harm (Broad definition), standardised admission ratio	2013/14 - 17/18	597	111.3	100.7	100.0	283.6		34.4
Percentage of people who reported having a limiting long-term illness or disability	2011	1,196	25.7%	22.5%	17.6%	40.8%		2.2%
Back pain prevalence in people of all ages	2012	874	19.0%*	18.9%	16.9%	24.8%		9.5%
Severe back pain prevalence in people of all ages	2012	516	11.2%*	11.9%	10.2%	17.9%		5.1%

Indicator	Period	Yarmouth North		District & UA (pre 4/19)	England	England		
		Count	Value	Value	Value	Worst/ Lowest	Status	Best/ Highest
Deliveries to teenage mothers, five year aggregate	2011/12 - 15/16	-	-	2.1%	1.1%	-	-	-
Crude fertility rate: live births per 1,000 women aged 15-44 years. five year aggregate	2011 - 15	-	-	65.6	63.2	-	-	-
Low birth weight of term babies, five year aggregate	2011 - 15	-	-	2.5%	2.8%	-	-	-
Emergency admissions aged under 5 years old, three year average	2013/14 - 15/16	-	-	151.2	149.2	-	-	-
A&E attendances in under 5 years old, three year average	2013/14 - 15/16	-	-	396.1	551.6	-	-	-
Admissions for injuries in under 5 years old, five year aggregate	2011/12 - 15/16	-	-	132.5	138.8	-	-	-
Admissions for injuries in under 15 years old, five year aggregate	2011/12 - 15/16	-	-	111.0	110.1	-	-	-
Admissions for injuries in 15-24 years old, five year aggregate	2011/12 - 15/16	-	-	117.1	137.0	-	-	-
Obese children Reception Year, three year average	2015/16 - 17/18	15	11.0%*	12.4%	9.5%	19.7%		2.2%
Children with excess weight Reception Year, three year average	2015/16 - 17/18	37	27.5%*	27.2%	22.4%	37.3%		7.0%
Obese children Year 6, three year average	2015/16 - 17/18	44	27.0%*	21.8%	20.0%	34.6%		5.0%
Children with excess weight Year 6, three year average	2015/16 - 17/18	71	43.3%*	35.7%	34.2%	51.9%		12.1%
Smoking prevalence at age 15 - regular smokers (modelled estimates)	2014	3	6.2%*	7.9%*	5.4%*	20.1%		0.0%
Smoking prevalence at age 15 - regular or occasional smokers (modelled estimates)	2014	5	9.8%*	11.4%*	8.2%*	19.4%		0.0%

* Value is modelled or estimated